How To Transform and Format Phone Numbers Automatically

37 Steps <u>View most recent version</u>

Created by Neighbourhood Co Creation Date Jun 03, 2024 Last Updated Jun 03, 2024



Click on Automations

an workspaces				
图 CRM	Contact owner -	Create Date 👻	Last Activity D 👻	Lead Status 👻
A Marketing	Search name, ph	one, err 🔍		
〇 Content				
C Commerce				
ஃ Automations >				
Deporting & Data				
🗅 Library				
믒 Marketplace				
③ Partner				

Click on Workflows

*	Q. Search HubSpot	(H) K
🗍 Bookmarks 🛛 🔤	Workflows)
	Sequences	× My contacts
된 CRM	Chatflows	ite Date 👻 Last Activity D 👻 Lead Status 👻
A Marketing	Suiveys 🗤	r Q
Content		COUNT OF POS
Commerce		
ය Automations >		
Reporting & Data		
Library		

STEP 3

Click on Create workflow

	⑦ Upgrade	~ # 0 #	Д 🥳 Chatt	Spot 🛛 🚯 NBH 2.0 👻
			Edit Properties	Create workflow -
		7		
		+ Add view (4/50) • All views	Folders
				Save view
				Actions -
•	\$	OBJECT TYPE 🚯	÷	TRIGGER TYPE
		Deal		
		Contact		Events

Click on From scratch

🔊 Upgrade	- La -	Ø \$	ይ 🤞 Cha	tSpot 🕴 🚯 NBH 2	.0 🔻
			Edit Properties	Create workflow -	
				From scratch	ן
	+ Add v	iew (4/50) -	All views	From template	
)				Save view	
				Actions -	
÷ •	OBJECT TY	PE	\$	TRIGGER TYPE	
	Deal				
	Contact			Events	

STEP 5

Click on Next



Click on Set up triggers



STEP 7

Click on When filter criteria is met...



Click on Contact properties

2rs Cancel	Save Add criteria	Cancel
Unenrollment Re-enro	Contact (Current Object)	Choose the triggers that decide enters this workflow.
be manually enrolled	Step 1: Select a filter category	
natic trigger type	Search in filter categories	Q No triggers set. Contacts enrolled manually once th
, trigger enrollment when filte	object information	is published.
t (optional)	Contact properties	
Test contact Discard	HubSpot asset membership and enrollm	nent Set up trigger
	Import membership	Ō
	List membership	
our criteria will appear here	Workflow enrollment	
OR	Marketing interactions	END
L Add aritaria	A do interactiono	

STEP 9

Type "phone number"

ows		Unnamed workflow - 2024-06-03 (
✓ Settings View ✓ Help ✓		
Save	Add criteria Co	ancel
Unenrollment Re-enrollment	Contact (Current Object)	Choose the triggers that decide enters this workflow.
be manually enrolled	Step 2: Select a filter to add All categories > Contact properties	No triggers set Contacts
natic trigger type	phone num	× enrolled manually once the is published.
t (optional)	Contact information	
Test contact Discard	Abc Mobile phone number	Set up trigger
· •	Abc Phone number	Ů
our criteria will appear here		+
OR		END

Click on Phone number



STEP 11

Click on is equal to any of

		Un	named wo
Settings View ~ Help ~	e Edit criteria	Close editor	
Unenrollment Re-enrollment	Phone number is equal to any of Add values	₹ 0	Cf er
ic trigger type igger enrollment when filter ptional)			
Test contact Discard			

Click on is known

		Choose the triggers that deci
	is equal to any of 🗸	enters this workflow.
e manually enrolled		
	Search Q	No triggers set. Contac
atic trigger type	contains any of	enrolled manually once
rigger enrollment when filter	doesn't contain any of	is published
optional)	starts with any of	
Test contact Discard	ends with any of	Set up trigge
• •	is known	Ů
	is unknown	+
per is equal to any of		
		END
ria		
OP		
OR		
+ Add criteria		

STEP 13

Click on Add criteria

Group 1	Group 1		Test contact Discar
Phone number is known AND + Add criteria OR	Phone number is known AND + Add criteria OR + Add criteria	Group 1	•
Phone number is known AND + Add criteria OR	Phone number is known AND + Add criteria OR + Add criteria		បិ
AND + Add criteria	AND + Add criteria OR + Add criteria	Phone number is kno	'n
OR	OR + Add criteria	AND + Add criteria	
	+ Add criteria	(R
		Enrollment settings	



Click on Contact properties



STEP 15

Type "phone number"

	Filtering on	Contact enrollment trigge
Unenrollment Re-enroliment	Contact (Current Object)	Choose the triggers that decide
be manually enrolled	Step 2: Select a filter to add All categories > Contact properties	No triggers set. Contacts
natic trigger type	phone number ×	enrolled manually once th
<pre>r trigger enrollment when filter t (optional)</pre>		is published.
Test contact Discard		Set up trigger
• •		Û

Click on Phone number

ers Cancel Save	Add criteria Cancel Filtering on	Contact enrollment trigger
Unenrollment Re-enrollment	Contact (Current Object)	Choose the triggers that decide
be manually enrolled	Step 2: Select a filter to add All categories > Contact properties	eners inis worknow.
natic trigger type	phone number X	enrolled manually once th is published.
t (optional)	Contact information	
Test contact Discard	Abc <u>Phone number</u>	Set up triggers
@	Abc WhatsApp Phone Number	
mber is known		END
our criteria will appear here		
OR		

STEP 17

Click on is equal to any of

	Cancel Save	Edit criteria	Close editor	
Unenrollment	Re-enrollment	Phone number	₹ 8	Cr
manually enrolled		Add values	• •	en
ic trigger type				

Click on doesn't contain any of

Unenrollment Re-enrollment e manually enrolled is stic trigger type is rigger enrollment when filter is sptional) is	e number qual to any of earch equal to any of	ל ד ע ע	Cl	No triggers set. Contac enrolled manually once
e manually enrolled	qual to any of earch equal to any of	• م	er	No triggers set. Contac enrolled manually once
e manually enrolled	earch equal to any of	٩		No triggers set. Contac
stic trigger type is rigger enrollment when filter is	earch equal to any of	۹]		No triggers set. Contac enrolled manually once
stic trigger type is rigger enrollment when filter is	equal to any of			enrolled manually once
rigger enrollment when filter is				is publishes
5010101	not equal to any of			is published
cc	ontains any of			
Test contact Discard do	besn't contain any of			Set up trigge
t t	arts with any of			
1	de with any of			+
per is known				
				END
per is equal to any of				

STEP 19

N∐B T≖

Click on Add values

Cancel Save	O Applying changes Close editor
Unenrollment Re-enrollment manually enrolled	Phone number ≥ 1 doesn't contain any of ▼ Add values
ic trigger type igger enrollment when filter prional)	Include records where "Phone Number" is empty

11 of 21

Type "+61"

rs Cancel Save	 Changes applied 	Close editor
Unenrollment Re-enrollment	Phone number doesn't contain any of	₹ ∎ ▼
natic trigger type	+6 Press enter to add "+6"	
trigger enrollment when filter (optional)		
Test contact Discard		

STEP 21

Click on Save

ment triggers		Cancel Save	 Changes applied 	Close ed
ollment	Unenrollment	Re-enrollment	Phone number	₹ 0
Contacts can be	manually enrolled		doesn't contain any of	•
Change automat	ic trigger type		Type to add a value to	this filter

Click on Add new action

AND Phone number doesn't contain any of +61	
🗇 💿 Show details	

STEP 23

Click on Data ops...

(6) (7) Delay Branch Go to workflow Go to action	0
HubSpot	U
Communications Send emails and notifications to your customers and te	
CRM Create and update CRM records and property values	
Marketing Manage records and statuses for your lists and audienc	comganig
Create code and webhooks for your apps, and format y	
Action sets Create action set	
> O Contact action sets Save time with reusable action sets. Create, edit, and sa	(
Connected apps Connect app	
> 🔊 SMS by Sinch MessageMedia	
Google Sheets Built by HubSpot	

Click on Format data...

CRM Create and update CRM records	and property values	Configuring
Marketing Manage records and statuses for	your lists and audienc	
$\sim fx$ Data ops		
Custom c Write your c Write your c Properties to keep your de Hupspor userul and cons Format dom Apply formatting rules to properties to kee	ata in stent. p your data in HubS	(
Send a webhook Send and retrieve information from HubSp	ot to another applic	
Action sets	Create action set	
> Contact action sets Save time with reusable action se	ets. Create, edit, and sa	
Connected apps	Connect app	
SMS by Sinch Message Med	lia	

STEP 25

<u>N|B</u> T<u>∓</u>

Click on Select a property

Cancel Save and continue	
	Contact e
Apply formatting rules to property values to keep your	Enroll contacts
about how this action works.	Group 1
Custom mode	Phone num
Property to format *	AND
	Dhone num
Select a property	+61
Format * 🙃	
Choose a format	0
	0
* Pro tip:	
Save the output from this action to a property	
on the contact.	
Yes, save the value into a property	Format d

Type "phone number"

Cancel Save and continue	Insert data «	
	View properties or action outputs from:	Contact enrollment trigge
rules to property values to keep your useful and consistent. Learn more	Enrolled contact 🔹	Enroll contacts when they m
ction works.	phone number X	Group 1
Custom mode	Edit available data	Phone number is known
nat *	 Text properties 	AND
erty		Phone number doesn't cor +61
nat 🔻		

STEP 27

Click on Phone Number

Cancel Save and continue	Insert data «	Contact enrollment trigg
les to property values to keep your	Enrolled contact	Enroll contacts when they n
on works.	phone number X	Group 1
Custom mode	🖉 Edit available data	Phone number is known
	 Text properties 	AND
ly <	Abc Mobile Phone Number	Phone number doesn't co
	Abc Phone Number 🕒	Abc Phone Number
it 👻	Abc WhatsApp Phone Number	0
from this action to a property		×
he value into a property		(fx) Format data
		Configuring

Check Custom mode

File ∽ Edit ∽ Setti	ngs View Y Help Y	
< Format data	Cancel Save and continue	
Apply formatting rules to pr	operty values to keep your	
about how this action work	s.	
	Custom mode	
 No issues 		
Insert -	 Formula guidance 	
Phone number		
Loading sample output	Edit sample data	

STEP 29

N∐B T≖

Click on Phone number

K Format data Cancel Save and continue	() Conter
Apply formatting rules to property values to keep your data in HubSpot useful and consistent. Learn more 🖄	
about now this action works.	Group 1 Phone nu
No issues Insert - Formula guidance	AND Phone nu +61
Phone number	
Sample output: Phone number P Edit sample data	
★ Pro tip: Save the output from this action to a property	fx Forma
Yes, save the value into a property	Configuring

Click on Insert

Apply formatting rules to property values to keep your data in HubSpot useful and consistent. Learn more 27 about how this action works.	View properties or action outputs from: Enrolled contact Search contact properties
Custom mode	Edit available data
No issues	> Text properties
Insert - Sormula guidance	 Enumeration properties
Phone number	🖾 Account Types
	🖾 Achieve Australia Category
Sample output: Phono number 🦳 é Edit cample data	Abc Adviser Email
Sample output: Priorie number // Eait sample data	Abc Advisor
★ Pro tip:	S Allied Health Service Categorie

STEP 31

Click on Function

< Format data	Cancel Save and continue	Insert data «
	y values to keep your	View properties or action outputs from: Enrolled contact
ab	stent. Learn more 🖄	Search contact properties Q
fx Function	ustom mode	Edit available data
•	J	> Text properties
Insert -	Formula guidance	 Enumeration properties
Phone number		🖾 Account Types
		🖾 Achieve Australia Category
		Abc Adviser Email
Sample output: Phone number	Edit sample data	

Type "reg"



STEP 33

Click on regex_replace...

Cancel Save and continue	Insert data «
Ap y values to keep your	View properties or action outputs from:
da 👫 Action output >> stent. Learn more 🖄	Search contact properties Q
HubSpot property >	Edit available data
fx Function > reg	× xt properties
Insert - regex_replace	umeration properties
Phone number Replace characters matching regex pattern	Account Types
	Achieve Australia Category
Sample output: Phone number 🖉 Edit sample data	Abc Adviser Email
★ Pro tip:	Abc Advisor
Save the output from this action to a property	Allied Health Service Categories Allied Health Service Categories (Test)
on the contact. Yes, save the value into a property	ASIA CONTACT

Type regex_replace(regex_replace([PhoneNumber], "[^0-9]", ""), "^0", "+61")

Kack to workflows		Unnamed workflow - 2024-06-03 05:52:10 GMT+0000
File \checkmark Edit \checkmark Settings View \checkmark Help \checkmark		
← Format data Cancel Sole and continue Apply formatting rules to property values to keep your data in whiting prudes to property values to keep your data in whiting out how this action works. Custom mode ● 1 issue Insert • ● formula guidance	Insert data « View properties or action outputs from: Enrolled contact • Search contact properties Q ✓ Edit available data > Text properties • Enumeration properties	Contact enrollment trigger Enroll contacts when they meet these filters: Group 1 Phone number is known AND Phone number doesn't contain any of
regex_replace(c {ex_r_ren1ars() those number } ; = [10-9*]", ==) ==00", =+61"	Achieve Australia Category Ackieve Australia Adviser Email	© Show details
 ★ Pro tip: Save the output from this action to a property on the contact. ✓ Yes, save the value into a property 	Advisor Allied Health Service Categories Allied Health Service Categories (Test) ASIA CONTACT	Format data Configuring_
	Assist Data Assist Data Assist Data Auckland virtual workshops Business units Buying Role Category Category Chameleon Data Category Chameleon Data Category Category Chameleon Life-cycle stage	END

STEP 35

Click on Save and continue

The Edit Se	ttings View∨ Help∨		
< Format data	Cancel Save and continue	Insert data	<
		View properties or action outputs from	:
Apply formatting rules to data in HubSpot useful a	property values to keep your nd consistent. Learn more 🗹	Enrolled contact	•
about how this action wo	rks.	Search contact properties	Q
	Custom mode	Edit available data	
No issues		> Text properties	
Insert -	 Formula guidance 	 Enumeration properties 	
regex replace(regex	replace(" Phone number	🖾 Account Types	

Click on Review and publish

 Workflow is OFF		Review and publish	
[Enrollment history	Test	

STEP 37

Click on Turn on workflow

Back Turn on workflow	

N | B T I